UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/724,038	12/01/2003	Masakazu Ito	Q78527	1456
23373 SUGHRUE MI	7590 07/31/200 ON, PLLC	EXAMINER		
2100 PENNSYLVANIA AVENUE, N.W.			VU, THANH T	
SUITE 800 WASHINGTON, DC 20037			ART UNIT	PAPER NUMBER
			2175	
			MAIL DATE	DELIVERY MODE
			07/31/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Commence	10/724,038	ITO, MASAKAZU				
Office Action Summary	Examiner	Art Unit				
	THANH T. VU	2175				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the o	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>21 Fe</u>	ebruary 2008					
	· · · · · · · · · · · · · · · · · · ·					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>16-32</u> is/are pending in the application	Claim(s) 16-32 is/are pending in the application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>16-23</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
·— ·— ·—	1. Certified copies of the priority documents have been received.					
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Cos the attached actained chief attached and of the continue copies het received.						
Attachment(a)						
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO/SB/08) 5) Notice of Informal Patent Application						
Paper No(s)/Mail Date 6) Other:						

DETAILED ACTION

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 05/27/2008has been entered.

This communication is responsive to Amendment, filed 05/27/2008.

Claims 16-23 are pending in this application. In the Amendment, claims 1-15 were cancelled, and claims 16-22 were added.

Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 16-18, and 20-22 are rejected under 35 U.S.C. 102(b) as being anticipated by Balderrama et al. (U.S. Pat No 5,806,071).

Per claim 16, Balderrama teaches a display system, comprising:

a touch panel that displays a first key group and a second key group (fig. 13; *a first key group:* key 262b; *a second key group:* key 262a), the second key group including a product key and a first switching key, the first switching key switching a display from displaying the second key group to a third key group on one display (figs. 13; *second key group 262a includes display screen 280 which includes a product key (e.g. 282a) and switching key 282f); and*

a display switching unit that, in response to a pressed the first switching key, replaces the second key group to the third key group on the display of the touch panel (fig. 13; *pressing*

switching key 282f allows the user to replaces the second key group of screen 280 to a third key group (e.g. screen 290 of key 282f).

Per claim 17, Balderrama teaches the display system according to claim 16, further comprising:

a key group master memory unit that stores key group master information for the first, the second, and the third key groups (figs. 3 and 4; col. 7, lines 1-25; col. 11, lines 13-35; which shows storing of keys information in different tables);

a displayed key group attribute information storage unit, that stores, as displayed key group attribute information, the key group master information of the first, the second, and the third key groups (figs. 3 and 4; col. 7, lines 1-25; col. 11, lines 13-35; which shows storing of keys information in different tables); and

a operation key attribute obtaining unit that, in response to the pressed first switching key, obtains a link destination attribute and a link destination number in the displayed key group attribute information that corresponds to the first switching key, and outputs the link destination attribute and the link destination number to the display switching unit (figs. 8 and 9; col. 13, lines 34-65);

wherein,

the display switching unit that, in response to receiving the link destination attribute and the link destination number from the operation key attribute obtaining unit, reads out from the key group master memory unit, the key group master information designated according to a received link destination attribute and a received link destination number in the displayed key group attribute information that corresponds to the pressed first switching key, and replaces the

second key group with the third key group corresponding to the key group master information designated according to the link destination attribute and the link destination number for display (see figs. 8, 9, and 13; col. 7, lines 4-11 and col. 13, lines 18-46).

Per claim 18, Balderrama teaches the display system according to claim 16, further comprising:

a price look-up (PLU) master memory unit that stores PLU master information including a product name and a product unit price (col. 9, lines 15-30 and col. 10, lines 25-32; *TABLE C* storing PLU master information including a product name and a unit price)

the operation key attribute obtaining unit that, in response to the pressed product key, obtains a link destination attribute and a link destination number in the displayed key group attribute information that corresponds to the pressed product key and outputting the link destination attribute and the link destination number (col. 7, lines 13-15 and col. 10, lines 25-32; col. 13, lines 10-15; which shows "order window" displays selected item and price information read out from PLU information TABLE B); and

sales processing unit that, in response to receiving the link destination attribute and the link destination number from a operation key attribute obtaining unit, reads out the PLU master information designated according to the link destination attribute and the link destination number in the displayed key group attribute information that corresponds to the pressed product key, and displays the PLU master information on the touch panel (col. 7, lines 13-15 and col. 10, lines 25-32; col. 13, lines 10-15; which shows "order window" displays selected item and price information read out from PLU information TABLE B).

Claims 20-22 are rejected under the same rationale as claims 16-18.

Application/Control Number: 10/724,038 Page 5

Art Unit: 2175

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 19, 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Balderrama and Moderi et al. ("Moderi", U.S. Pat. No. 5,510,970).

Per claim 19, Balderrama teaches the display system according to claim 17, further comprising:

a key group master memory unit that stores key group master information for additional key groups (figs. 3 and 4; col. 7, lines 1-25; col. 11, lines 13-35; which shows storing of key groups information in different tables); wherein

the touch panel that displays the first key group and a fourth key group, the fourth key group including a product key and a second switching key that switches a display from displaying fourth key group to the additional key groups on the display (fig. 13; first key group 262b and fourth key group 262c; it is noted that the fourth key group 262c would include a product key and a switch key similar to screen 280. This switch key would allow the user to switch the display from fourth key group to additional key groups);

the operation key attribute obtaining unit that, in response to the pressed second switching key, obtains a link destination attribute and a link destination number in the displayed key group attribute information that corresponds to the second switching key and outputs the link

destination attribute and the link destination number to the display switching unit (see figs. 8, 9, and 13; col. 7, lines 4-11 and col. 13, lines 18-46);

Page 6

the key group master memory unit that stores key group master information for the fourth, the additional key groups (figs. 3 and 4; col. 7, lines 1-25; col. 11, lines 13-35; which shows storing of keys information in different tables);

the display switching unit that, in response to receiving the link destination attribute and the link destination number from the operation key attribute obtaining unit, reads out from the key group set master memory unit, the key group set master information designated according to a received link destination attribute and a received link destination number and replaces the fourth key group with the fifth and sixth key groups corresponding to the key group master information designated according to the link destination attribute and the link destination number in the key group set master information (see figs. 8, 9, and 13; col. 7, lines 4-11 and col. 13, lines 18-46).

In addition, Balderrama teaches if seven or more items are included in a database, overflow cell 162f will enclose a "MORE ITEMS" icon for a second level menu group (e.g. menu 170 of fig. 8 or menu 290 of fig. 13), see col. 13, lines 34-46. Balderrama does not specifically teach the drink menu branch that has more than 11 items to display. However, Moderi teaches a drink menu that has more than 11 items to display (fig. 7). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include the teaching of Moderi in the invention of Balderrma in order to allow the system to present menu items when there are more than 11 items to be displayed and this would provide users with a third menu level and a fourth menu level to a particular menu branch

Claim 23 is rejected under the same rationale as claims 19.

Response to Arguments

Applicants' arguments in the Amendment have been fully considered but are not persuasive.

Applicant's primary argument is that Balderrama does not teach "a touch panel that displays a first key group and a second key group, the second key group including a product key and a first switching key, the first switching key switching a display from displaying the second key group to a third key group on one display".

The examiner does not agree for the following reasons:

During patent examination, the pending claims must be "given >their< broadest reasonable interpretation consistent with the specification." > In re Hyatt, 211 F.3d 1367, 1372, 54 USPO2d 1664, 1667 (Fed. Cir. 2000). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van* Geuns, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Applicant always has the opportunity to amend the claims during prosecution, and broad interpretation by the examiner reduces the possibility that the claim, once issued, will be interpreted more broadly than is justified. In re Prater, 415 F.2d 1393, 1404-05, 162 USPQ 541, 550-51 (CCPA 1969).

In this case, Balderrama reads on the claimed language of a touch panel that displays a first key group and a second key group (fig. 13; a first key group: key 262b; a second key group: key 262a), the second key group including a product key and a first switching key, the first switching key switching a display from displaying the second key group to a third key group on

Art Unit: 2175

one display (figs. 13; second key group 262a includes display screen 280 which includes a product key (e.g. 282a) and switching key 282f. Switch key 282 allows the user to replace second key group 280 with a third key group 290).

Inquiries

Any inquiry concerning this communication or earlier communications from the examiner should be directed to THANH T. VU whose telephone number is (571)272-4073. The examiner can normally be reached on Mon- Fri 7:00 AM - 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William L. Bashore can be reached on (571) 272-4088. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Thanh T. Vu/ Primary Examiner, Art Unit 2175